HU: MGSDVRDLNALLPAVPSLGGGGGCALPVSGAAQWAPVLDFAPPGASAYGSL MO: MGSDVRDLNALLPAVSSLGGGGGCGLPVSGAAQWAPVLDFAPPGASAYGSL

HU: GGPAPPPAPPPPPPPPPPHSFIKQEPSWGGAEPHEEQCLSAFTVHFSGQFTGTAG MO: GGPAPPPAPPPPPPPPPPHSFIKQEPSWGGAEPHEEQCLSAFTLHFSGQFTGTAG

HU: ACRYGPFGPPPPSQASSGQARMFPNAPYLPSCLESQPAIRNQGYSTVTFDGTPS MO: ACRYGPFGPPPPSQASSGQARMFPNAPYLPSCLESQPTIRNQGYSTVTFDGAPS

HU: YGHTPSHHAAQFPNHSFKHEDPMGQQGSLGEQQYSVPPPVYGCHTPTDSCTG MO: YGHTPSHHAAQFPNHSFKHEDPMGQQGSLGEQQYSVPPPVYGCHTPTDSCTG

HU: SQALLLRTPYSSDNLYQMTSQLECMTWNQMNLGATLKGVAAGSSSSVKWTE MO: SQALLLRTPYSSDNLYQMTSQLECMTWNQMNLGATLKGMAAGSSSSVKWTE

HU: GQSNHSTGYESDNHTTPILCGAQYRIHTHGVFRGIQDVRRVPGVAPTLVRSAS MO: GQSNHGIGYESDNHTAPILCGAQYRIHTHGVFRGIQDVRRVSGVAPTLVRSAS

HU: ETSEKRPFMCAYPGCNKRYFKLSHLQMHSRKHTGEKPYQCDFKDCERRFSR MO: ETSEKRPFMCAYPGCNKRYFKLSHLQMHSRKHTGEKPYQCDFKDCERRFSR

HU: SDQLKRHQRRHTGVKPFQCKTCQRKFSRSDHLKTHTRTHTGKTSEKPFSCR MO: SDQLKRHQRRHTGVKPFQCKTCQRKFSRSDHLKTHTRTHTGKTSEKPFSCR

HU: WPSCQKKFARSDELVRHHNMHQRNMTKLQLAL MO: WHSCQKKFARSDELVRHHNMHQRNMTKLHVAL

Fig. 1




Fig. 2




Fig. 3





Fig. 4







Fig. 5C

Express Mail No. EL897868473 ger et al.



10-8 ⊞86/no antigen 6  $\overline{\sim}$ 4 2







Fig. 6A

Fig. 6B



p117-139 stimulated clone








Fig. 7A

Fig. 7B



p6-22 stimulated clone






Fig. 7C

Fig. 7D

5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 MGSDVRDLNALLPAVSSLGGGGGGCGLPVSGAAQWAPVLDFAPPGASAYGSLGGPAPPPAPPPPPPPPPPPPHSFIKQE
AAAAAAAAAAAAAAAAAAAAAA
80 85 90 95 100 105 110 115 120 125 130 135 140 145 150  PSWGGAEPHEEQCLSAFTLHFSGQFTGTAGACRYGPFGPPPPSQASSGQARMFPNAPYLPSCLESQPTIRNQGYS  AAAA
155 160 165 170 175 180 185 190 195 200 205 210 215 220 225 TVTFDGAPSYGHTPSHHAAQFPNHSFKHEDPMGQQGSLGEQQYSVPPPVYGCHTPTDSCTGSQALLLRTPYSSDN AAAAAA
RRRR DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD
RRRR
230 235 240 245 250 255 260 265 270 275 280 285 290 295 300 LYQMTSQLECMTWNQMNLGATLKGMAAGSSSSVKWTEGQSNHGIGYESDNHTAPILCGAQYRIHTHGVFRGIQDV .AAAAAAAAA
305 310 315 320 325 330 335 340 345 350 355 360 365 370 375  BRUSGVAPTI VRSASETSEKRPFMCAYPGCNKRYFKLSHLQMHSRKHTGEKPYQCDFKDCERRFSRSDQLKRHQR AAAA AAAAAAAAA.
AAAAA
ALD ALD ALD
380 385 390 395 400 405 410 415 420 425 430 435 440 445 450 RHTGVKPFQCKTCQRKFSRSDHLKTHTRTHTGKTSEKPFSCRWHSCQKKFARSDELVRHHNMHQRNMTKLHVAL
dddddddddddd




Fig. 9A




Fig. 9B




Fig. 10A

Fig. 10B







Fig. 10C






Fig. 10D

ger et al.


407

30-

Express Mail No. EL89786847

Docket No. 210121.465C6

Fig. 11B




EL-4, WT1 negative


20-


%LYSIS

10—

0







Inventor(s): Alexande ger et al. Express Mail No. EL89786847




Fig. 13A




Fig. 13B




Fig. 13C




Fig. 14






Fig. 15








Fig. 17

Molecular Weight 85kDa 60kDa 50kDa

1 Amino Acid Position

1-449 1-249 267-449

IOOOESUS .IOSUSI

TABLE 1: Characteristics of Recombinant WT1 Proteins Used for Serological Analysis

n serolog	WT1 00 00
IABLE 1: Undracteristics of Recombinant Will Proteins Used for Serving.	Recombinant Protein Ral2—WT1 full length fusion protein TRX—WT1 N—terminus fusion protein WT1 C—terminus protein
IABLE 1: Unaracteristics	NAME WT1/full-length WT1/N-terminus WT1/C-terminus WT1/C-terminus

Fig. 18





Fig. 19A1 Control groups. A: 1:500 Dilution, B: 1:2000, C: 1:8000, D: 1:16000











Fig. 19A3 Control groups. A: 1:500 Dilution, B: 1:2000, C: 1:8000, D: 1:16000


Express Mail No. EL89786847







Express Mail No. EL89786847







iger et al. Express Mail No. EL89786847

















A: 1:500 Dilution, B: 1:2000, C: 1:8000, D: 1:16000





WT1. Dose Titration. Ab responses to WT1. 1000ug Ra12-WT1+MPL-SE. A: 1:500 Dilution, B: 1:2000, C: 1:8000, D: 1:16000






WT1. Dose Titration. Ab responses to WT1. 1000ug Ra12-WT1+MPL-SE. A: 1:500 Dilution, B: 1:2000, C: 1:8000, D: 1:16000





WT1. Dose Titration. Ab responses to WT1. 1000ug Ra12-WT1+MPL-SE.
A: 1:500 Dilution, B: 1:2000, C: 1:8000, D: 1:16000



Proliferative T—cell responses in WT1 protein immunized mice. (Ra12WT1 dose titration, 6x in vivo, after 2IVS) Group Group Group Group Animal ٦. 0 7 ~

Stimulation Index

Control

Adeno WT1

## WT1 expression in human DC following adeno WT1 and Vaccinia WT1 infection




Fig. 21

WT1 can be expressed reproducible in human DC following adeno WT1 infection and is not induced by a control Adeno infection

Control (Adeno EGFP infected human DC)



Vaccinia WT1 (infected human DC)





Fig. 22






Fig. 23